


NOTICE

- All information in this booklet is provided by the manufacturer
- The manufacturer reserves the right to change the design, specifications, dimensions and features of any products without prior notice or announcement
- Pinnacle Industrial Enterprises is the authorized dealer of the manufacturer for the state of Andhra Pradesh

Key Aspects of Manufacturer and Products:

- All wheel chairs are completely designed & manufactured in India considering International Standards (ISO 7176 for powered wheelchairs)
- Filed two patents for the technology developed for electric wheelchairs
- All the equipments are designed to last long in Indian conditions
- First company to invent Split Frame Suspension for electric wheelchairs
- First to design Multi Suspension System in electric wheelchairs
- First to develop Automatic Wheelbase Adjuster for electric wheelchairs
- First to indigenize 98% of parts for electric wheelchairs




Pinnacle Industrial Enterprises

10-5-29 (2nd Floor)
Masab Tank
Hyderabad - 500028
INDIA

Phone: +91-40-2331-6630/2332-4563
Fax: +91-40-2332-4562

info@pinnacleind.in



Power Mobility

Freedom of Mobility with Dignity
Electric Power Wheelchairs

Pinnacle Industrial
Enterprises



January 2010

Product Catalog

- *Split Frame Power Wheelchairs*
- *Rigid Frame Power Wheelchairs*
- *Foldable Power Wheelchairs*

www.pinnacleind.in



Verve V10 RX

Price: Rs. 75,000
Door Delivery: Extra Charges
Sales Tax: Exempted



Technical Specifications

Load capacity: 100 Kg | Speed: 6 Km/h max | Drive range: 8 Km max* (*on standard test conditions) | Gradeability: 12 Degrees Max | Motor: 250 Watts | Controller: 60 Amps | Tire: Front- 6inch Solid | Rear-13 inch Solid | Battery: 24 Volt 18 Ah | Charger: 5 Amps off Board

Dimensions

Overall Length: 970mm | Overall Width: 630 mm | Overall Height from ground: 960mm | Weight: 66 Kg
Seat width: 440 mm | Seat depth: 450mm | Seat base height from ground: 560 mm
Seat back rest width: 480mm | Seat back rest height: 550mm

Features


Electric wheelchair with rigid frame | Call alarm | Fault alarm | Reverse alarm | Key pad locking | Mobility cut-off while charging | Auto shut-off after 3 minutes | Five speed selector | Length adjustable joystick control unit (can be changed from left to right and vice versa) | Foldable, angle adjustable and height adjustable foot rest | Swing away arm rest with height and width adjustment | Rigid seat base and soft cushion back rest | Removable seat back | Removable calf support | Powder coated steel chassis

One year replaceable warranty for manufacturing defects and battery warranty - 6 months



Verve V10 FX

Price: Rs. 68,000
 Door Delivery: Extra Charges
 Sales Tax: Exempted



Technical Specifications

Load capacity: 100 Kg | Speed: 6 Km/h max | Drive range: 8 Km max* (*on standard test conditions) | Gradeability: 12 Degrees Max | Motor: 250 Watts | Controller: 60 Amps | Tire: Front-6 inch Solid | Rear-13 inch Solid | Battery: 24 Volt 18 Ah | Charger: 5 Amps off Board

Dimensions

Folded condition: Overall Length: 700mm | Overall Width: 230 mm | Overall Height from ground: 800mm | Weight: 28 Kg

Open Condition: Overall Length: 800mm | Overall Width: 580 mm | Overall Height from ground: 960mm | Weight: 45 Kg

Seat width: 430 mm | Seat depth: 440mm | Seat base height from ground: 575 mm

Seat back rest width: 430mm | Seat back rest height: 550mm

Features

Flexible electric wheelchair with folding frame | Call alarm | Fault alarm | Reverse alarm | Key pad locking | Mobility cut-off while charging | Auto shut-off after 3 minutes | Five speed selector | Length adjustable joystick control unit (can be changed from left to right and vice versa) | Foldable, angle adjustable and height adjustable foot rest | Swing away arm rest with height adjustment | Conventional seat base and back rest with removable cushions | Removable seat back | Removable calf support | Removable battery box | Powder coated steel chassis

One year replaceable warranty for manufacturing defects and battery warranty - 6 months



Table of Contents

Freedom of Mobility with Dignity	4
Prisitne FLEX (Premium Split Frame Power Chair)	5
Galaxy AWA (Split Frame Power Chair with Wheelbase Adjuster)	6
Tetra EX SS (Power Chair with World's First Multi-Suspension System)	7
Tetra EX (Midrange Split Frame Power Chair)	8
Tetra T15 (Basic Split Frame Power Chair)	9
Verve V10 FX (Foldable Frame Power Chair)	10
Verve V10 RX (Rigid Frame Basic Power Chair)	11



Freedom of Mobility with Dignity

Our Products

Pinnacle Industrial Enterprises excels in offering upcoming and revolutionary products to the ever-growing Indian consumer base. Key focus mostly lies in products that have some unique value to offer users in terms of utility or cost savings.



Electric Power Wheelchairs

Brought to you from India's most technically advanced manufacturer of mobility aids, this catalog highlights our complete offering of electric power wheelchairs.

We represent some of the most reputed manufacturers of power/electric wheelchairs from India for the territory of Andhra Pradesh. These products have been developed through extensive research in due course of which patents are also filed. The wheelchairs are available from a range of models for physically challenged and elderly citizens. Powered by electric batteries that typically require a charge for each 15-25 km run, these products are available with different options such as:

- Foldable or Rigid Frame Type
- Seat Elevator and/or Backrest Recline Types
- Indoor, Outdoor or Dual Activity Types
- Solid or Pneumatic Tires
- Powder Coated Steel Chassis
- 4 Wheel Suspension with Springs
- Electronic Joystick Control
- Safety Features
- Other Features as Highlighted Ahead...



Tetra T15

Price: Rs. 78,000
Door Delivery: Extra Charges
Sales Tax: Exempted



Technical Specifications

Load capacity: 110 Kg | Speed: 6 Km/h max | Drive range: 15 Km max (on standard test conditions) | Gradeability: 12 Degrees Max | Motor: 250 Watts | Controller: 60 Amps | Tire: Front-9 inch Solid | Rear-13 inch Solid | Battery: 24 Volt 26 Ah | Charger: 5 Amps off Board

Dimensions

Overall Length: 820 mm (Without footrest) | Overall Width: 600 mm | Overall Height from ground: 960 mm | Weight: 82 Kg
Seat base width: 460mm | Seat base depth: 470mm | Seat base height from ground: 560 mm | Seat back rest width: 460mm | Seat back rest height: 520mm

Features

Split frame suspension for extreme stability and drive control in terrain conditions
Call alarm | Fault alarm | Reverse alarm | Key pad locking | Mobility cut-off while charging | Auto shut-off after 3 minutes | Five speed selector | Length adjustable joystick control unit (can be changed from left to right and vice versa) | Wider, foldable, angle adjustable and height adjustable foot rest | Swing away arm rest with height and width adjustment | Hard seat base with high density cushion and soft back rest | Removable seat back rest | Removable calf support | Powder coated steel chassis

One year replaceable warranty for manufacturing defects and battery warranty-1 Year



Tetra EX

Price: Rs. 95,000
 Door Delivery: Extra Charges
 Sales Tax: Exempted



Technical Specifications

Load capacity: 110 Kg | Speed: 8.5 Km/h max | Drive range: 15 Km max (on standard test conditions) | Gradeability: 15 Degrees Max | Motor: 320 Watts | Controller: 60 Amps | Tire: Front-9 inch Solid | Rear-13 inch Solid | Battery: 24 Volt 26 Ah | Charger: 5 Amps off Board

Dimensions

Overall Length: 820 mm (Without footrest) | Overall Width: 620 mm | Overall Height from ground: 900 mm | Weight: 88 Kg
 Seat base width: 460mm | Seat base depth: 460mm | Seat base height from ground: 560 mm | Seat back rest width: 460mm | Seat back rest height: 520mm

Features

Split frame suspension for extreme stability and drive control in terrain conditions. Call alarm | Fault alarm | Reverse alarm | Key pad locking | Mobility cut-off while charging | Auto shut-off after 3 minutes | Five speed selector | Length adjustable joystick control unit (can be changed from left to right and vice versa) | Wider, foldable, angle adjustable and height adjustable foot rest | Swing away arm rest with height and width adjustment | Bucket seat with flame retardant fabric | Seat can be folded fully flat | Seat belt | Seat can be reclined 30 degrees in 6 steps | Removable calf support | Powder coated steel chassis

One year replaceable warranty for manufacturing defects and battery warranty-1 Year



Pristine FLEX

Price: Rs. 1,48,000
 Door Delivery: Extra Charges
 Sales Tax: Exempted



Technical Specifications

Load capacity: 110 Kg | Speed: 8.5 Km/h max | Drive range: 25 Km max (ideal conditions) | Gradeability: 20 Degrees Max | Motor: 320 Watts | Controller: 60 Amps | Tire: Front-9 inch Solid | Rear-13 inch Solid / 16 inch pneumatic | Battery: 24 Volt 42 Ah | Charger: 5 Amps off Board

Dimensions

Overall Length: 900 mm (Without footrest) | Overall Width: 640 mm | Overall Height from ground: 1200 mm (with head rest) | Weight: 98 Kg
 Seat base width: 480mm | Seat base depth: 460mm | Seat base height from ground: 560 mm | Seat back rest width: 460mm | Seat back rest height: 540mm

Features

UNIQUE Split frame suspension for extreme stability and drive control under all terrain conditions | Call alarm | Fault alarm | Reverse alarm | Key pad locking | Mobility cut-off while charging | Auto shut-off after 3 minutes | Five speed selector | Length adjustable joystick control unit (can be changed from left to right and vice versa) | Wider, foldable, angle adjustable and height adjustable foot rest | Swing away arm rest with height and width adjustment | Head lamp | Indicators | Tail lamp | Hazard warning | Basket with integrated mudguards | Bucket seat with head rest and flame retardant fabric | Seat belt | Seat can be reclined fully flat | Removable and height adjustable calf support | ABS body panels | Reflectors as per standards | Rear bumper | Powder coated steel chassis

One year replaceable warranty for manufacturing defects and battery warranty-1 Year



Galaxy AWA

Price: Rs. 1,38,000
 Door Delivery: Extra Charges
 Sales Tax: Exempted



Technical Specifications

Load capacity: 110 Kg | Speed: 8.5 Kmph max | Drive range: 15 Km max (ideal conditions) | Gradeability: 20 Degrees Max | Motor: 320 Watts | Controller: 60 Amps
 Tires: Front-9 inch Solid | Rear-13 inch Solid/16 inch pneumatic | Battery: 24 Volt 26 Ah
 Charger: 5 Amps off Board

Dimensions

Overall Length: 900 mm (Without footrest) | Overall Width: 660 mm | Overall Height from ground: 1200 mm (with head rest) | Weight: 96 Kg
 Seat base width: 480mm | Seat base depth: 460mm | Seat base height from ground: 560 mm | Seat back rest width: 460mm | Seat back rest height: 540mm

Features

Split frame suspension for extreme stability and drive control in terrain conditions
 Automatic wheel base adjuster (AWA) to match the indoor and outdoor conditions
 Call alarm | Fault alarm | Reverse alarm | Key pad locking | Mobility cut-off while charging | Auto shut-off after 3 minutes | Five speed selector | Length adjustable joystick control unit (can be changed from left to right and vice versa) | Wider, foldable, angle adjustable and height adjustable foot rest
 Swing away arm rest with height and width adjustment | Bucket seat with head rest and flame retardant fabric
 Seat belt | Seat can be reclined fully flat | Removable and height adjustable calf support
 ABS body panels | Reflectors as per standards | Powder coated steel chassis

One year replaceable warranty for manufacturing defects and battery warranty-1 Year



Tetra EX SS

Price: Rs. 1,10,000
 Door Delivery: Extra Charges
 Sales Tax: Exempted



Technical Specifications

Load capacity: 110 Kg | Speed: 8.5 Kmph max | Drive range: 15 Km max (on standard test conditions) | Gradeability: 15 Degrees Max | Motor: 320 Watts | Controller: 60 Amps | Tire: Front-9 inch Solid | Rear-13 inch Solid | Battery: 24 Volt 26 Ah | Charger: 5 Amps off Board

Dimensions

Overall Length: 820 mm (Without footrest) | Overall Width: 600 mm | Overall Height from ground: 900mm | Weight: 96 Kg
 Seat base width: 480mm | Seat base depth: 470mm | Seat base height from ground: 530 mm | Seat back rest width: 460mm | Seat back rest height: 520mm

Features

Split frame suspension integrated with all four independent coil spring suspension for super soft vibration free driving, makes it the world's first multi suspension electric wheelchair.
 Call alarm | Fault alarm | Reverse alarm | Key pad locking | Mobility cut-off while charging | Auto shut-off after 3 minutes | Five speed selector | Length adjustable joystick control unit (can be changed from left to right and vice versa) | Wider, foldable, angle adjustable and height adjustable foot rest | Swing away arm rest with height and width adjustment | Bucket seat with flame retardant fabric | Seat can be folded fully flat | Seat belt | Seat can be reclined 30 degrees in 6 steps | Removable calf support | Powder coated steel chassis

One year replaceable warranty for manufacturing defects and battery warranty-1 Year